

AUSTRALIAN JOURNAL OF BASIC AND APPLIED SCIENCES (AJBAS)

Home About Journal Author guidelines manuscript submission Online issues Editorial board Templates & Forms

Contact & Short Details (AJBAS)

ISSN: 1991-8178 (print)
ISSN: 2309-8414 (online)

Published Monthly (January, February, March, April, May, June, July, August, September, October, November and December)

Journal Contact Mailing Address
E-mail: Ajbaseditor@gmail.com

Principal Contact
E-mail: Ajbaseditor@gmail.com

Support Contact
E-mail: ajbateditor@ajbasweb.com

Websites
<http://www.ajbasweb.com>

Journals related to AJBAS and Free Journal
Research Journal of Animal and Veterinary Sciences
Global Journal of Plant Ecophysiology
Global Journal of Medicinal Plant Research
Global Journal of Biodiversity Science and Management

To see more Journals visit our Page:
<http://www.aensiweb.com/journals.html>

The Journal of the AJBAS (Australian Journal of Basic and Applied Sciences) has been published since 2007. AJBAS (Australian Journal of Basic and Applied Sciences) is a multidisciplinary journal that publishes high quality research publications in the areas of Agriculture, Biological, Information, Engineering, Health & Life Sciences, Zoology, Humanity, Social and Applied Sciences etc. and published by American-Eurasian Network for Scientific Information, Jordan with ISSN: 1991-8178. Being an academic-research publisher of peer-reviewed journals across the world, AJBAS is committed to publish excellent, original, double-blind peer-reviewed research articles of all types in various subjects. Along with AJBAS, AENSI Publishing Corporation publishes a number of journals to nurture the community and recognize the budding talents in the scientific world.

AJBAS (Australian Journal of Basic and Applied Sciences) reached until October of 2017 around 20,500 citations according to Google scholar and there are strategies for increasing the citations to be in the end of 2017 more than 21 000 citations by publishing the high-quality papers and specific topics which have highly attentions around the world.

<https://scholar.google.com/citations?user=NojREosAAAAJ&hl=en>

Google-based Impact Factor: 2.5

The impact factor (IF) normally is calculated by Thomson Reuters based on the Web of Science (WOS). However, Google Scholar now provides an alternative Google-based impact factor. Google Scholar is the only openly available database suitable for journal metric calculation. It has a wide coverage and is a meaningful source. For this reason, AJBAS (Australian Journal of Basic and Applied Sciences) is calculating its own Impact Factor by applying Thomson Reuters'(TR) algorithm based on Google Scholar's citation counts.

AS Journal Stats until October 2017

Articles	2700
Citations	20500
h-index	43
i10-index	669
IF	2.5

IMPACT FACTOR IF FOR AJBAS

MIAR collects data for the identification and the analysis of scientific journals (Spain) ICDS IF= 3.5 <http://miar.ub.edu/issn/1991-8178>

SCIENTIFIC JOURNAL IMPACT FACTOR (SJIF 2013 = 3.84).

GLOBAL IMPACT FACTOR (GIF 2015=0.786)

INFOBASE INDEX IBI FACOTR IN 2015=3.79

GENERAL IMPACT FACTOR IN 2016: 0.7039

Australian Journal of Basic and Applied Sciences Journal Impact under RESEARCHGATE: 0.23

* *This value is calculated using RESEARCHGATE data and is based on average citation counts from work published in this journal.

Most cited articles

Induction and modulation of resistance in tomato plants against Fusarium wilt disease by bioagent fungi (arbuscular mycorrhiza) and/or hormonal elicitors (jasmonic acid & salicylic acid): 1-Changes in growth, some metabolic activities and endogenous hormones related to defence mechanism

https://scholar.google.com/citations?view_op=view_citation&hl=en&user=NojREosAAAAJ&citation_for_view=NojREosAAAAJ:qKtbczrMvwAC

Factors influencing acoustic performance of sound absorptive materials

https://scholar.google.com/citations?view_op=view_citation&hl=en&user=NojREosAAAAJ&citation_for_view=NojREosAAAAJ:kMwF0kOiZPMC

Impact of Treatment on Growth and Yield of Lettuce and Tomato

https://scholar.google.com/citations?view_op=view_citation&hl=en&user=NojREosAAAAJ&citation_for_view=NojREosAAAAJ:RiRVDUe1hjoC

Rice husk ash concrete: the effect of RHA average particle size on mechanical properties and drying shrinkage

https://scholar.google.com/citations?view_op=view_citation&hl=en&user=NojREosAAAAJ&citation_for_view=NojREosAAAAJ:CREiCvMVTUAC

Isolation and identification of new cellulases producing thermophilic bacteria from an Egyptian hot spring and some properties of the crude enzyme

https://scholar.google.com/citations?view_op=view_citation&hl=en&user=NojREosAAAAJ&citation_for_view=NojREosAAAAJ:mNm_27jwclsc

https://scholar.google.com/citations?view_op=view_citation&hl=en&user=NojREosAAAAJ&citation_for_view=NojREosAAAAJ:mNm_27jwclsc

AUSTRALIAN JOURNAL OF BASIC AND APPLIED SCIENCES (AJBAS)

[Home](#) [About Journal](#) [Author guidelines](#) [manuscript submission](#) [Online issues](#) [Editorial board](#) [Templates & Forms](#)

Contact & Short Details (AJBAS)

ISSN: 1991-8178 (print)
ISSN: 2309-8414 (online)

Published Monthly (January, February, March, April, May, June, July, August, September, October, November and December)

Journal Contact Mailing Address
E-mail: Ajbaseditor@gmail.com

Principal Contact
E-mail: Ajbaseditor@gmail.com

Support Contact
E-mail: ajbaseditor@ajbasweb.com

Websites
<http://www.ajbasweb.com>

Journals related to AJBAS and Free Journal
Research Journal of Animal and Veterinary Sciences
Global Journal of Plant Ecophysiology
Global Journal of Medicinal Plant Research
Global Journal of Biodiversity Science and Mananement

To see more Journals visit our Page:
<http://www.aensiweb.com/journals.html>

About Australian Journal of Basic and Applied Sciences

ISSN: 1991-8178 (print)
ISSN: 2309-8414 (online)

Published Monthly (January, February, March, April, May, June, July, August, September, October, November and December)

The Australian Journal of Basic and Applied Sciences publishes papers on the results of full-length research articles, short communications, reviews, mini reviews and case reports all areas of biology, medicine, dentistry, pharmacy, agriculture and veterinary medicine, Engineering and information technology and their application their products or directly related research areas. Its prime function is to communicate mission-oriented, fundamental research to other researchers.

The journal includes detailed reports of original research results on various aspects of multidisciplinary and directly related subjects such as:

Agriculture and forestry
Agriculture and veterinary medicine
Soil-Plant-Water Relationships
Statistics
Biological and environmental science
Medical science, medicine, dentistry, pharmacy,
Natural and applied Science, Chemistry, physics, geology, biostatistics and bioinformatics
Nanobiology, chemical biology, biochemistry, biophysics, medical physics
Structure biology (proteins, lipids, carbohydrates and DNA), cellular signaling, redox biology, stem cells and phytochemicals
Information technology
Technology Innovation in Information Technology
Computer Engineering
Information Technology
Multimedia

Cloud Computing
Artificial Intelligence
Computer Vision and Machine Learning
Technology Innovation in Energy
Renewable Energy
Energy Planning and Policy
Energy Science and Technology
Efficient Resources Utilization
Climate Change Mitigation
Technology Innovation in Electrical and Electronics
Mechatronics and Robotics
Power System and Smart Grid
Distributed Generation
Electrical Machines, Power Electronics and Drives
Control and Automation
Embedded System, Sensors, Actuators
Technology Innovation in Mechanics and Materials
Biotechnology and Nanotechnology
Ceramics Science
Physics and Optics
Chemical Science and engineering
Civil Engineering
Mechanical Engineering
Technology Innovation and Creative Economy
Technopreneurship
Creative Economy in Engineering
Creative Art in Technology
Technology Innovation in Industrial Management
Supply Network, Operations & Engineering Management
Operation Research
Enterprise Resource Planning
General Industry Studies

The Australian Journal of Basic and Applied Sciences is included in the following indexing and abstracting services:

Google-based Impact Factor: 2.5

MIAR collects data for the identification and the analysis of scientific journals (Spain) ICDS

Google-based Impact Factor: 2.5

MIAR collects data for the identification and the analysis of scientific journals (Spain) ICDS IF in 2016= 3.5

ERA (Excellence in Research for Australia)

Norwegian Register for Scientific Journals, Series and Publishers (NSD)

ResearchGate data

Australian Journal of Basic and Applied Sciences Journal Impact: 0.23* *This value is calculated using ResearchGate data and is based on average citation counts from work published in this journal. The data used in the calculation may not be exhaustive.

National Library of Australia

AGRICOLA

CABI: AgBiotech New & Information, CAB Abstracts, CAB Direct, Horticultural Abstracts, Ornamental Horticulture, Plant Breeding Abstracts, Nematological Abstracts, Plant Growth Regulator Abstracts, Review of Plant Pathology, CropPhys Abstracts

Chemical Abstracts Service: CA Plus

ERA (Excellence in Research for Australia)

ULRICH PERIODICALS

Australian Journal of Basic and Applied Sciences Journal Impact: 0.23* *This value is calculated using ResearchGate data and is based on average citation counts from work published in this journal. The data used in the calculation may not be exhaustive.

National Library of Australia

SCImago Journal & Country Rank (SJR) www.scimagojr.com.

Ulrichsweb www.proquest.com/products-services/Ulrichsweb.html.

EBSCOhost Research Databases www.ebscohost.com/.

CiteSeerX citeseerx.ist.psu.edu.

Zetoc zetoc.jisc.ac.uk.

All rights reserved AJBAS

AUSTRALIAN JOURNAL OF BASIC AND APPLIED SCIENCES (AJBAS)

[Home](#) [About Journal](#) [Author guidelines](#) [manuscript submission](#) [Online issues](#) [Editorial board](#) [Templates & Forms](#)

Contact & Short Details (AJBAS)

ISSN: 1991-8178 (print)
ISSN: 2309-8414 (online)

Published Monthly (January, February, March, April, May, June, July, August, September, October, November and December)

Journal Contact Mailing Address
E-mail: Ajbaseditor@gmail.com

Principal Contact
E-mail: Ajbaseditor@gmail.com

Support Contact
E-mail: ajbaseditor@ajbasweb.com

Websites
<http://www.ajbasweb.com>

Journals related to AJBAS and Free Journal
Research Journal of Animal and Veterinary Sciences
Global Journal of Plant Ecophysiology
Global Journal of Medicinal Plant Research
Global Journal of Biodiversity Science and Management

The aim and scope for Australian Journal of Basic and Applied Sciences

ISSN: 1991-8178 (print)

ISSN: 2309-8414 (online)

The journal includes detailed reports of original research results on various aspects of multidisciplinary and directly related subjects such as:

Agriculture and forestry

Agriculture and veterinary medicine

Soil-Plant-Water Relationships

Statistics

Biological and environmental science

Medical science, medicine, dentistry, pharmacy,

Natural and applied Science, Chemistry, physics, geology, biostatistics and bioinformatics

Nanobiology, chemical biology, biochemistry, biophysics, medical physics

Structure biology (proteins, lipids, carbohydrates and DNA), cellular signaling, redox biology, stem cells and phytochemicals

Information technology

Technology Innovation in Information Technology

Computer Engineering

Information Technology

Multimedia

Cloud Computing

Artificial Intelligence

Computer Vision and Machine Learning

Technology Innovation in Energy

Renewable Energy

Technology Innovation in Energy

Renewable Energy
Energy Planning and Policy
Energy Science and Technology
Efficient Resources Utilization
Climate Change Mitigation

Technology Innovation in Electrical and Electronics

Mechatronics and Robotics
Power System and Smart Grid
Distributed Generation
Electrical Machines, Power Electronics and Drives
Control and Automation
Embedded System, Sensors, Actuators

Technology Innovation in Mechanics and Materials

Biotechnology and Nanotechnology
Ceramics Science
Physics and Optics
Chemical Science and engineering
Civil Engineering
Mechanical Engineering

Technology Innovation and Creative Economy

Technopreneurship
Creative Economy in Engineering
Creative Art in Technology

Technology Innovation in Industrial Management

Supply Network, Operations & Engineering Management
Operation Research
Enterprise Resource Planning
General Industry Studies

Published Monthly (**January, February, March, April, May, June, July, August, September, October, November and December**)

All rights reserved AJBAS

AUSTRALIAN JOURNAL OF BASIC AND APPLIED SCIENCES (AJBAS)

[Home](#) [About Journal](#) [Author guidelines](#) [manuscript submission](#) [Online issues](#) [Editorial board](#) [Templates & Forms](#)

Contact & Short Details (AJBAS)

ISSN: 1991-8178 (print)
ISSN: 2309-8414 (online)

Published Monthly (January, February, March, April, May, June, July, August, September, October, November and December)

Journal Contact Mailing Address
E-mail: Ajbaseditor@gmail.com

Principal Contact
E-mail: Ajbaseditor@gmail.com

Support Contact
E-mail: ajbaseditor@ajbasweb.com

Websites
<http://www.ajbasweb.com>

Journals related to AJBAS and Free Journal
Research Journal of Animal and Veterinary Sciences
Global Journal of Plant Ecophysiology
Global Journal of Medicinal Plant Research
Global Journal of Biodiversity Science and Management

EDITOR IN CHIEF:

Prof. Dr. Abdel Rahman Mohammad Al-Tawaha

SENIOR EDITORS:

Prof. Dr. Refat A. Youssef
Agricultural and Biological Research Division, National Research Centre El-bohoose St., Dokki, Giza, Egypt.

Prof. Dr. Zheng-xing Wu
Science and Technology, Huazhong University of Science and Technology, 1037 Luoyu Road, Wuhan, Hubei430074, China.

• Prof. Dr. Eder Paschoal Pinto
Unichristus, School of Business. Avenida Dom Luís, 911, Aldeota. 60160-196 Fortaleza, CE, Brazil

Editors.

- Prof. Dr. Hamid Nikraz, Australia
- Prof. Dr. Bob Redden, Australia
- Prof. Dr. Abu Umar Faruq Ahmad, Australia
- Prof. Dr. Mazen A. Ateyyat, Jordan
- Prof. Ahmed Boutejdar, Germany
- Prof. Dr. Márcio Pereira da Rocha, Brazil
- Prof. Dr. Eder Paschoal Pinto, Brazil
- Prof. Dr. Ismail Sahid, Malaysia
- Prof. T.R.Mankhand, India
- Prof. Bhaskar Bhattacharya, India
- Prof. Dr. Kyung-Dong Lee, Korea
- Prof. P. Ramkumar M., India

- Prof. Dr. Abubakr Gomaa, Egypt
- Prof. Dr. Shaban D. Abou Hussein, Egypt
- Pro. Dr. Raed S. Al-Wasify, Egypt
- Prof. Lakshmi narayanan, India
- Prof. Anish Upadhyaya. India
- Prof. Kantesh Balani. India
- Prof. Sunil Mohan. India
- Prof. Shri. J.K.singh. India

ADVISORY BOARD FOR COMPUTER SCIENCE AND COMMUNICATION TECHNOLOGY

- P.Iyappan
Assistant Professor, Department of Computer Science & Engineering, Sri Manakula Vinayagar Engineering College, 605107, Puducherry, India.
- A.Martin
Associate Professor, Department of Master of Computer Applications, Sri Manakula Vinayagar Engineering College, 605 107, Puducherry, India
- Dr. B. Sathiyabhama
Dept. of Computer Sciences and Engineering, Sona College of Technology, Salem. India
- D. Saravanan
Faculty of Operations & IT, IBS Hyderabad, The ICFAI Foundation for Higher Education (Declared as Deemed-to-be university u/s 3 of the UGC Act 1956), Dontanpalli (Village), Shankerpalli Road, Hyderabad, Telangana., India.
- A.Ramalingam
Associate Professor, Department of Master of Computer Applications, Sri Manakula Vinayagar Engineering College, 605 107, Puducherry, India.
- J. Madhusudhanan
Associate Professor, Department of Computer Science and Engineering, Sri Manakula Vinayagar Engineering College, 605 107, Puducherry, India.
- Dr. S. Selvakani
Professor and Head, Department of Computer Applications, Francis Xavier Engineering College, Vannarpettai, Tirunelveli, India
- Prof.D.Satish Kumar
Assistant professor (SG), Department of Computer science and Engineering Nehru institute of technology, (formerly Jawaharlal Institute of Technology) "Jawahar gardens" Kaliapuram, Thirumalayam Palayam P.O. Coimbatore 641105, Tamilnadu, INDIA
- Dr. R.S. Rajesh

Advisory Board for Engineering

- Umair Hasan
Department of Civil Engineering, Faculty of Science and Engineering, Curtin University, Perth, Australia.
- Amin Chegenizadeh
Department of Civil Engineering, Faculty of Science and Engineering, Curtin University, GPO Box U1987. Perth. Australia
- Mochamad Arief Budihardjo
Department of Civil Engineering, Faculty of Science and Engineering, Curtin University, GPO Box U1987. Perth. Australia
- Hamid Nikraz
Professor at the Department of Civil Engineering, Faculty of Science and Engineering, Curtin University, GPO Box U1987. Perth. Australia
- Dr. Mochamad Arief Budihardjo
Department of Civil Engineering, Curtin University, Perth, Australia
- Dr.S. Ramesh
Professor & Head of the Department, Department of Electrical and Electronics Engineering, K.S.R.College of Engineering, Tiruchengode - 637 215, Namakkal (Dt), Tamilnadu, India
- Dr. E.Gowthaman M.E.
Assistant Professor, Department of Electronics and Instrumentation Engineering, Hindusthan College of Engineering and Technology, Coimbatore-641032
- Dr. Amin Chegenizadeh
Department of Civil Engineering, Curtin University, Perth, Australia
- Dr. Savita Dixit
Department Mechanical Engineering, Maulana Azad National Institute Of Technology, Bhopal. India
- Prof.C.Easwarlal
Head of the Department, Department of Electrical and Electronics Engineering, Sona College of Technology, Salem - 636 005. India
- Dr. N. Kannan
Professor/Head, Sona SPEED, Department of Electrical & Electronics Engineering, Sona College of Technology, Salem - 636 005. Tamilnadu, India
- Dr.M.Senthil Kumar
Professor, Department of Electrical and Electronics Engineering, Sona College of Technology, Salem-

AUSTRALIAN JOURNAL OF BASIC AND APPLIED SCIENCES (AJBAS)

[Home](#) [About Journal](#) [Author guidelines](#) [manuscript submission](#) [Online issues](#) [Editorial board](#) [Templates & Forms](#)

Contact & Short Details (AJBAS)

ISSN: 1991-8178 (print)
ISSN: 2309-8414 (online)

Published Monthly (January, February, March, April, May, June, July, August, September, October, November and December)

Journal Contact Mailing Address
E-mail: Ajbaseditor@gmail.com

Principal Contact
E-mail: Ajbaseditor@gmail.com

Support Contact
E-mail: ajbateditor@ajbasweb.com

Websites
<http://www.ajbasweb.com>

Journals related to AJBAS and Free Journal
Research Journal of Animal and Veterinary Sciences
Global Journal of Plant Ecophysiology
Global Journal of Medicinal Plant Research
Global Journal of Biodiversity

About Australian Journal of Basic and Applied Sciences

ISSN: 1991-8178 (print)

ISSN: 2309-8414 (online)

Published Monthly (January, February, March, April, May, June, July, August, September, October, November and December)

2023			
January	February	March	April
May	June	July	August
September	October	November	December
2022			
January	February	March	April
May	June	July	August
Sept	October	November	December
2021			
January	February	March	April
May	June	July	August
September	October	November	December
2020			
January	February	March	April

2011			
January	February	March	April
May	June	July	August
September	October	November	December

Australian Journal of Basic and Applied Sciences

[\[Home \]](#) [\[Instructions \]](#) [\[Contact us \]](#)

MARCH, 2011

Solution of $m \times 3$ or $3 \times n$ Rectangular Interval Games using Graphical Method

Pradeep, M. and Renukadevi, S.

[1-10](#)

An Optimal Quantity Discount Pricing Policy for Deteriorating Items

Hidefumi Kawakatsu

[11-19](#)

<https://www.ajbasweb.com/old/ajbas/2011/462-474.pdf>

Multi-echelon Inventory Model for Repairable Items Emergency with Lateral Transshipments in Retail Supply Chain

Agus Purnomo

[462-474](#)

Physicochemical Properties of Oil Extract from Gumbo (*Abelmoschus Esculentus* L.) And the Kinetics of Degradation of the Oil During Heating

G. Bouanga-Kalou, J.G. Nitou, J.M. Nzikou, F.B. Ganongo-Po, C.H. Hounounou, B. Diabangouaya, J. Mpika-Bouesso, Th. Silou and S. Desobry

[475-482](#)

PERNAH TERINDEX SCOPUS: <https://www.scopus.com/sourceid/17600155109>

The screenshot shows the Scopus Sources search interface. The search bar contains the text "Australian Journal Of Basic And Applied Sciences". Below the search bar, a notification box states: "Improved Citescore: We have updated the CiteScore methodology to ensure a more robust, stable and comprehensive metric which provides an indication of research impact, earlier. The updated methodology will be applied to the calculation of CiteScore, as well as retroactively for all previous CiteScore years (ie. 2018, 2017, 2016...). The previous CiteScore values have been removed and are no longer available. View CiteScore methodology." Below this, the search results are displayed in a table with 1 result. The table has columns for Source title, CiteScore, Highest percentile, Citations, Documents, and % Cited. The single result is "Australian Journal of Basic and Applied Sciences" with CiteScore, Highest percentile, Citations, Documents, and % Cited all listed as "N/A". A red box highlights this row. On the left side, there are filter and display options, including "Filter refine list", "Apply", "Clear filters", "Display options", "Display only Open Access journals", and "Counts for 4-year timeframe".

Source title	CiteScore	Highest percentile	Citations	Documents	% Cited
1 Australian Journal of Basic and Applied Sciences	N/A	N/A	N/A	N/A	N/A

<https://www.scopus.com/sourceid/17600155109>

The screenshot shows the Scopus Source details page for "Australian Journal of Basic and Applied Sciences". The page includes the following information: "Scopus coverage years: from 2009 to 2012 (coverage discontinued in Scopus)", "Publisher: INSInet Publications", "ISSN: 1991-8178", "Subject area: Multidisciplinary", and "Source type: Journal". On the right side, there are two metrics: "SJIR 2015 0.126" and "SNIP 2015 0.519". A red arrow points from the text "Discontinued" to the "(coverage discontinued in Scopus)" text. At the bottom, there are three buttons: "View all documents", "Set document alert", and "Save to source list".


Discontinued

SJR 2015
0.126

SNIP 2015
0.519

SCIMAGO:

<https://www.scimagojr.com/journalsearch.php?q=17600155109&tip=sid&clean=0>



Multi-echelon Inventory Model for Repairable Items Emergency with Lateral Transshipments In Retail Supply Chain

Agus Purnomo

Ph.D. in Supply Chain Management Department of Industrial Engineering - University of Pasundan, Bandung, Indonesia

Abstract: The theory on multi-echelon inventory systems is a core theory within supply chain management. Utilizing emergency lateral transshipments between retailers to meet customer demand can be an effective means for companies to improve service levels in a supply chain. This paper presents a Multi Echelon Inventory Model for Repairable Items Continuous Reviews using Emergency Lateral Transshipment. Based on case examples, obtained by the proportion of retail demand fulfillment immediately from stock on hand an average of more than 75%. Then the proportion of retail demand is met by emergency lateral transshipments average no more than 20%. Thus proved that the emergency lateral transshipments to increase the level of retail demand fulfillment. This can be seen on the results of calculations which was initially 75%, after using emergency lateral transshipments retail demand fulfillment rate rose by 20%.

Key words: Multi Echelon Inventory, Repairable Item, Emergency Lateral Transshipment Customer Service Level, Retail Supply Chain

INTRODUCTION

The theory on multi-echelon inventory systems is a core theory within supply chain management, as it studies the optimal positioning of inventory in a supply chain. Quite some useful results are available on the optimal positioning of safety stocks, the effect of different types of lot-sizing rules, optimal control under capacity constraints, and the value of advance demand information (Van Houtum, 2005). The analysis of multi-echelon inventory systems that pervades the business world has a long history. Clark and Scarf (1960) introduced the concept of echelon stock. Inventory control in multi-echelon systems is known to be a challenging research area. Because of the complexity and intractability of the multi-echelon problem, Hadley and Whitin (1963) recommend the adoption of single location, single echelon models for the inventory systems. Sherbrooke (1968) constructed the METRIC model, which identifies the stock levels that minimize the expected number of backorders at the lower echelon subject to a budget constraint. This model is the first multi-echelon inventory model for managing the inventory of service parts. Thereafter, a large set of models that generally seek to identify optimal lot sizes and safety stocks in a multi-echelon framework were produced by many researchers (e.g., Deuermeyer and Schwarz, 1981; Moinzadeh and Lee, 1986; Axsäter, 1990; Svoronos and Zipkin, 1991; Nahmias and Smith, 1994; Aggarwal and Moinzadeh, 1994; Grahovac and Chakravarty, 2001). In addition to analytical models, simulation models have also been developed to capture the complex interactions of the multi-echelon inventory problems (e.g., Clark *et al.*, 1983; Pyke, 1990; Dada, 1992; Alfredsson and Verrijdt, 1999). The study of multi-channel supply chains in the direct versus retail environment has emerged only recently. The focus of this stream of literature is on channel competition and coordination issues in the setting where the upstream echelon is at once a supplier to and a competitor of the downstream echelon (e.g., Rhee and Park, 1999; Tsay and Agrawal, 2003; Chiang and Monahan, 2005).

While multi-echelon inventory control policies have been extensively studied, the theoretical basis for multi-echelon multi-channel inventory problem has not yet been well developed. One common arrangement of the extant multi-echelon inventory models assumes that the supply chain system consists of several locations whose supply-demand relationships form a hierarchy: each location places orders with one direct predecessor in the supply chain (see Svoronos and Zipkin, 1991 for more details). In this setting, one location may receive orders from several direct successors, but the successors have to be at the same echelon. Although a handful of papers have considered the model that allows some locations to bypass its direct predecessor and place orders with locations at a higher echelon or at the same echelon (e.g. Grahovac and Chakravarty, 2001), those

orders are considered as emergency orders and only happen in the event of a stockout at their direct predecessor. With the trend of adopting a multi-channel distribution strategy in the recent business environment and with the development of third-party logistics, including the emergence of highly competent suppliers such as Federal Express (Narus and Anderson, 1996), the inventory distribution system wherein one location can concurrently receive orders from more than one echelon is not uncommon. Nevertheless, the inventory modeling literature thus far offers little guidance in approaching this subject.

System of Multi-echelon inventory control is often used for extensive distribution system, means companies that can provide a high level of customer service, even in some cases the same goods produced in different factories to provide quick access to the market. For items that were damaged and can be repaired, then the supply of a product allows a system to hold a reserve item. Multi-echelon inventory system is divided into the lower echelon containing base-base as the first level of demand fulfillment services, and the two higher echelon with the warehouse as a second level of demand fulfillment services, Lee (1987) and Schwarz (1981). This paper discusses Multi-echelon model with a continuous review system for items that can be repaired with lateral transshipments in the retail supply chain. By using Multi-echelon inventory model with emergency lateral transshipment, it is expected to determine the proportion of demand compliance with the level of available inventory in the warehouse and at each base (retail) so that requests can all be met and the frequency of out of stock to a minimum. Another thing to be obtained from this research is to achieve the desired level of customer service or a certain service level set by the management company. This model is only used for system wide distribution and inventory items in question on this model are in independent circumstances, or not depending on other items, and inventory distribution management system is included as a pull system.

MATERIALS AND METHODS

Research Design:

Terminology and Notation Used:

In the discussion of models of Multi-echelon inventory control for repairable items with emergency lateral Transshipments will use terminology and notation as follows:

Terminology	Description
Emergency Lateral	Shipment or transfer from one base (retail) to the base (retail) others to meet demand when the retailer has no inventory. Emergency Lateral Transshipments only occur between the base at one polling the same group.
Backorder	A customer orders or commitments that are not filled or not fulfilled, because the inventory at the base (retail) is not sufficient to meet the demand for that item, so that the request be directed to the warehouse.
Inventory	Storage of goods, including raw materials, work in process (WIP), finished products, and supplies.
Item	Type or kind of a product.
Pooling Group	Regional distribution centers.
Base	Retail.
Central Depot	Warehouse as a distribution center.
Service Level	Policy management to customers relates to stockouts, as the ratio of the units that are supplied to the unit requested.
Notation	Description
M	The total number of base (retail) in all polling group.
n	Number pooling group.
m_i	Number of base (retail) in a pooling group i . (Number of each base is assumed equal).
T	Transportation time from the warehouse to the respective base (retail).
S_i	Inventory levels at a base (retail) in a pooling group i , for $i = 1, \dots, n$.
S_0	The level of inventories in warehouses.
$D(t_1, t_2)$	The total demand of the entire base (retail) in the time interval between t_1 and t_2 , (t_1, t_2).
$W_i(t)$	The number of orders that have not been fulfilled on a base (retail) in group i in time t , for $i = 1, \dots, n$.
$W_i'(t)$	The number of orders that have not been fulfilled in the pooling group i at time t , for $i = 1, \dots, n$.

$W_0(t)$	The number of orders that have not been fulfilled on the entire base at the time t.
$B_0(t)$	The number of units in the warehouse backorder at the time t.
$R(t)$	The number of units that have been repaired in the warehouse at the time t.
μ	The average number of items repaired in unit time.
$1/\mu$	The average repair time for damaged items (including transportation time the damaged items back to the warehouse).
N_i	The average number of Emergency Lateral Transshipment per unit of time in a pooling group i, $i = 1, \dots, n$.
λ_i	Average request arrival to each base at pooling group i.
λ	Total average demand arrival at the base (retail).
$Bi(t)$	The total number of backorders at pooling group i.
β_i	Proportion of demand that is filled with the arrival of stock on hand.
a_i	Proportion of demand that is filled with the arrival of emergency lateral transshipments.
θ_i	The probability of arrival at pooling group i demand that can not be met, so ask for a shipment from the warehouse.

Model Description:

As shown in Figure 1, this model has one central warehouse and M fruit base (retail). Then the base-base (retails) are grouped into n groups pooling off each other and every base in the pooling group is considered to be identical. Identical here means that the events that apply to a base (retail) is equal to the base (retail) other, so that sufficient attention in the discussion of one base model (retail) in a pooling groups.

The assumption used in this model will be explained as follows:

- a. Continuously supervise and supply warehouse inventory to each base / retail (continuous - review).
 Retails at the same polling group had an average improvement of identical arrival (from the warehouse to the base/retail).
- B. The demand of each base (retail) in a pooling group i follows a Poisson distribution with average arrival λ_i . In this case the arrival of a request to the warehouse.
- C. Transport time (T) from the warehouse to the respective base (retail) is fixed and equal to the entire base (retail).
 Warehouse is a distribution center and as a place to repair a damaged item, and it is assumed there is no limit to the number of service, so there was no queue at the warehouse.
- d. It is assumed all the damaged items can be repaired.
- e. Demand that come the first time, will first be met (First Come First Serve)
- f. Demand are filled by lateral transshipment, would wait at the base until the arrival of units from the base (retail) are adjacent.
- g. When the warehouse supply inventory to the base (retail), and there is an item is damaged, then the damaged item is returned and repaired in the warehouse and was replaced by the existing inventory at the base (retail).
- h. If all base (retail) from a pooling group has no inventory, the demand will be immediately directed to the warehouse.
 Demand at a base (retail) is called a backorder if Emergency Lateral Transshipment as a way to meet the demand, or if all the base (retail) from a pooling group has no inventory and base (retail) are awaiting shipment from the warehouse.
- i. Genesis of the pooling group is considered synonymous with pooling the other group, meaning we only looked at one polling group that will represent the other group pooling.

Algorithm Model:

Processing steps performed in Multi-echelon inventory model for items that can be repaired with Emergency Lateral Transshipment is as follows:

1. Determine the proportion of demand met by stock on hand (β_i).

In determining the proportion of total demand will be met by inventories held by the base / retail (stock on hand), then steps should be done is as follows:

- a. Determining [R (t)] and [B (S0)].

To obtain the value of [R (t)] and [B (S0)], from Graves (1985), obtained by the following equation:

$$W_0(t + T) = B_0(t) + D(t, t + T), \text{ where} \tag{1}$$

$$B_0(t) = [R(t) - S_0]^+, \text{ and } [x]^+ \text{ show an max } [0, x] \tag{2}$$

$(W_0(t+T))$ is the amount of demand that is still waiting or have not met on the entire base, consisting of the number of back orders ($B_0(t)$) in the warehouse and the amount of demand that has not been met from the base (retail) at an interval t and $t + T$, or $D(t, t + T)$. While the number of back orders is the difference between the number of units repaired $[R(t)]$ with the level of inventory in the warehouse (S_0). $[R(t)]$ is the number of units repaired in the time interval t , here shows an experimental nature of the Poisson, where the chances of a successful time at specified intervals.

Palm Theory (1938) in Graves (1985), states that:

"If the demand for an item is to follow a Poisson process with average demand m and time to repair for each damaged unit are independent and identical distribution on any distribution, with an average repair time T , then at steady state, the probability distribution of the number of units repaired $R(t)$ Poisson distribution with mean mT ."

Based on Palm's theorem above, then $R(t)$ Poisson distribution with mean l/m . So also with $D(t,t+T)$ Poisson distribution with mean lT .

From equation (1) and (2), can be obtained distribution $B_0(t)$ and distribution $W_0(t+T)$ based on the value of $R(t)$ as follows:

- If $R(t) > S_0$, then $B_0(t)$ is positive it means going back orders. Since S_0 is a constant, so that $B_0(t)$ follows $R(t)$ Poisson distribution with mean l/m , can be written with the equation: $B_0(t) = \text{Poisson}(l/m)$
 - If $R(t) < S_0$ then B_0 is negative or 0 means there is no backorder, so the distribution $W_0(t+T)$ is equal to the distribution $D(t,t+T)$ is Poisson distribution with mean lT , can be written with the equation: $W_0(t+T) = \text{Poisson}(lT)$
 - Conversely, if there backorder, distribution $W_0(t+T)$ is the Poisson distribution, because the sum of 2 pieces of the Poisson distribution would produce a Poisson distribution. Then equation $W_0(t+T)$ can be written: $W_0(t+T) = \text{Poisson}(l/m + lT)$. In practice, determining the distribution of the above W_0 with less effective and difficult in the calculation, therefore used the results suggested in previous studies.
- b. Determining the Value of Expectation and Variance of $B(S_0)$ Based on equation (2), Graves (1985) showed that the expected value and variance of $B(S_0)$ are as follows:

$$E[B(S_0)] = E[B(S_0 - 1)] - \Pr(R(t) \geq S_0) \tag{3}$$

where:

$$\Pr[R(t) \geq S_0] = 1 - \Pr[R(t) < S_0] \tag{4}$$

$$\begin{aligned} Var[B(S_0)] = Var[B(S_0 - 1)] - [E\{B(S_0)\} + E\{B(S_0 - 1)\}] \cdot \\ [1 - \Pr[R \geq S_0]] \end{aligned} \tag{5}$$

C. Determining the Value of Expectation and Variance of (W_i):

To determine the amount of b_i it is necessary to know the value W_i large number of demand that is still waiting or have not been met in a pooling group i . During the arrival of demand to a Poisson distribution warehouse (with or without lateral transshipment), we can obtain the distribution of the amount of unmet demand in a pooling group i (W_i), by treating one group as a stocking polling location with inventories of mission, as suggested (Graves, 1985). In these circumstances (Graves, 1985), gives the probability distribution of W_i as follows

$$\Pr[W_i' = k] = \sum_{x=k}^{\infty} \Pr[W_0 = x] \Pr[W_i' = k | W_0 = x] \tag{6}$$

Conditional distribution of $\Pr[W'_i = k | W_0 = x]$ is the event that the number of orders that have not been fulfilled in a pooling group i ($W'_i = k$), if the number of orders that have not been fulfilled on the entire base ($W_0 = x$). From the description of the conditional distribution, as well as how to choose the k units in the pooling group i than x units with a probability of success for a pooling group i for $m_i l_i / l$. The probability of success is obtained based on the many demands on a group to a pooling- i compared with the total demand that is $m_i l_i / l$. The phenomenon above is the events that followed the binomial distribution, because at each repetition, the odds of success are the same price that is $m_i l_i / l$. Consequently these equations can be written (given by Graves, 1985) as follows:

$$\Pr[W'_i = k] = \sum_{x=k}^{\infty} \binom{x}{k} (m_i \lambda_i / \lambda)^k (1 - m_i \lambda_i / \lambda)^{x-k} \Pr[W_0 = x] \tag{7}$$

Before continuing the discussion of the steps of the model used, Graves (1985) presents a method for distribution W'_i approach, mainly due to difficult and complex discussions when using equation [7] is raw. Graves (1985) using a negative binomial distribution model as an approximation of the distribution W'_i namely:

$$\Pr[W'_i = k] = \binom{r+k-1}{k} p^r (1-p)^k ; \text{ for } k = 0, 1, 2, \tag{8}$$

To obtain the expected value and variance of W'_i , Graves (1985) have shown that the expected value and variance of the number of orders that have not been fulfilled in a pooling group i (W'_i) is given by:

$$E[W'_i] = \frac{m_i \lambda_i}{\lambda} E[B(S_0)] + m_i \lambda_i T \tag{9}$$

$$Var[W'_i] = \left(\frac{m_i \lambda_i}{\lambda}\right)^2 Var[B(S_0)] + \left(\frac{m_i \lambda_i}{\lambda}\right) \left(\frac{1 - m_i \lambda_i}{\lambda}\right) \tag{10}$$

$$E[B(S_0)] + m_i \lambda_i T$$

D. Determining the Value of the Binomial Distribution Parameters R and p :

To obtain the approximation of the distribution of W'_i , with a negative binomial distribution and the parameters r and p , the distribution parameters were obtained based on equation (11) and [12] are substituted into equation (9) and (10). Value of r and p is a constant parameter ($0 < p < 1$) which satisfy:

$$E[W'_i] = \frac{r(1-p)}{p} \tag{11}$$

$$Var[W'_i] = \frac{r(1-p)}{p^2} \tag{12}$$

e. Determine $\Pr[W_i = k]$:

We consider a base in a pooling group i , with each base are identical and the inventory level S_i . when the base was not able to meet demand because of shortage of supply, the base will be filled with the request to another base (emergency lateral transshipment). In this case we will use the random rule in choosing a base that will make lateral transshipment, the odds of a selected base is $1/m_i$. Something similar is done to obtain equation (7) can be done to obtain the probability distribution of W_i . For any given value W'_i , the probability distribution in steady state conditions of W_i was written with the equation:

$$\Pr[W_i = k] = \sum_{x=k}^{\infty} \Pr[W'_i = x] \Pr[W_i = k | W'_i = x] \tag{13}$$

Conditional distribution of $\Pr[W_i = k | W'_i = x]$ is the event that the amount of unmet demand at a base (W_i) = k, if the amount of unmet demand in a pooling group i (W'_i) = x. From the description of the conditional distribution, as well as how to choose the k units in a base of x units with a probability of success on a base of $1/m_i$. The phenomenon above is the events that followed the binomial distribution, because at each repetition, the odds of success are the same price that is $1/m_i$. Consequently these equations can be written as follows:

$$\Pr[W_i = k]^- = \sum_{x=k}^{\infty} \binom{x}{k} (1/m_i)^k (1-1/m_i)^{x-k} \Pr[W'_i = k] \tag{14}$$

f. Determining β_i :

To get the magnitude β_i , namely the proportion or composition of orders which can be met based on the available inventory at base (stock on hand), by substituting equation (7) into equation (14). The equation for the value β_i , written as follows:

$$\beta_i = \sum_{k=0}^{S_i-1} \sum_{x=0}^{\infty} \binom{x}{k} (1/m_i)^k (1-1/m_i)^{x-k} \Pr(W'_i = x) \tag{15}$$

In this research, the value for good service levels ranged above 70% (depending on the company's management policy.) This value indicates kebaikkannya of inventory model is used.

2. Determining the total amount expected backorder at pooling group i $E[B_i(t)]$.

Consider a situation many orders in a group to a pooling-i greater than or equal to inventory in the pooling group, which $W'_i \geq m_i S_i$ showed at least $m_i S_i$ items still waiting or have not been met in a pooling group I.

With a probability of:

$$\theta_i = \Pr[W'_i \geq m_i S_i] \tag{16}$$

$$\begin{aligned} &= 1 - \Pr(W'_i < m_i S_i) \\ &= 1 - \Pr[W'_i = 0] + [\dots] + \Pr[W'_i = m_i S_i - 1] \end{aligned}$$

In this model we will use q_i as an approximation to the probability of arrival of requests at a pooling group i that can not be filled with stock owned (meaning the pooling group is out of stock), then so will be a backorder. However, these probabilities are not exact (actual), this is because when the number of orders on the pooling group i exceeds the supply ($W'_i \geq m_i S_i$), in reality there is a possibility of a base with orders in excess of inventories at the base ($W_i > S_i$), the base may be asked to base others who have the supply. This can happen because at the time of arrival of requests, there is the possibility of pooling the entire group does not have the inventory and the i-th base to backorder. In contrast, other base-base can be supplied from the warehouse, bringing the total number of items that are still waiting on a pooling group can be smaller than the $m_i S_i$. Thus the expectation of backorder at pooling group i are filled directly from the warehouse are :

$$E(W'_i - m_i S_i)^+ \tag{17}$$

In the previous explanation, it is known that the average amount of demand per unit of time is filled with the stock on hand at group i , namely $m_i(\beta_i, l_i)$. Can then also determine the average amount of demand per unit of time in group i who became backorder due to demand be met directly from the warehouse, which is $q_i(m_i, l_i)$. Thus, the average number of requests per unit of time that is filled with emergency lateral transshipment at pooling group i can be known, namely:

$$m_i \lambda_i - m_i(\beta_i, l_i) - q_i(m_i, l_i) = m_i \lambda_i (1 - \theta_i - \beta_i).$$

Thus the arrival of demand met by emergency lateral transshipment is:

$$a_i = m_i \lambda_i (1 - \theta_i - \beta_i) / m_i \lambda_i = 1 - \theta_i - \beta_i \tag{18}$$

a_i value obtained was used to determine the expected value of the number of emergency lateral transshipments per unit of time at pooling group i , N_i , which is written by equation:

$$N_i = m_i \lambda_i \alpha_i \tag{19}$$

with Little's formula is known that the number of items in transit for emergency lateral transshipments is $N_i T_i$. Thus, the total number of back orders on the pooling group i [$B_i(t)$], consisting of the number of back orders are filled directly from the warehouse, and the number of back orders are filled with emergency lateral transshipments. Written by equation:

$$E(B_i) = E(W_i^- m_i S_i) + N_i T_i \tag{20}$$

RESULTS AND DISCUSSIONS

The following will be presented several examples of cases that are relevant to the characteristics of the model to measure the performance of the model, and will be solved by using algorithms that have been described earlier.

Input Data:

The data used is a hypothetical data to illustrate the supply chain from retail, drawn from case studies using computer simulation results, the research conducted by Hau Lee (1987). Model problem for this case example, can be seen in Figure 2.

General data on sample cases will be outlined as follows:

1. Multi echelon inventory system has a distribution center and a pooling group ($n = 1$).
2. In a pooling the group there are 3 retail, each of which are assumed identical and equal to ($m_i = 3$).
3. Average repair time for damaged item (dimisalkan electronic goods) known ($1/\mu = 0.5$, then the number of items repaired in unit time ($\mu = 2$).
4. It is known that the average total arrival demand is 13 times the average demand for each demand to a base ($\lambda = 13 \lambda_i$).
5. Transport time (T) = 2 days.
6. The average time for lateral transshipment (T_i) = 1 (for all retail)

Other data such as average arrival demand (λ_i), the level of inventory in the warehouse (S_0), and the inventory level at the base at pooling group i (S_i), are presented in Table 1 as follows:

Data Processing:

Data processing is performed to find the proportion of the demand fulfillment in Multi-echelon inventory model as previously described in the algorithm model. Examples of cases described is divided into several cases with different characteristics by the addition of an average size of the arrival of demand at each retail (λ_i), the level of inventory in the warehouse (S_0), and the level of inventory at retail (S_i).

Cases with $l_i = 0.04, S_0=1, S_i=1$:

1. Determine the proportion of demand met by stock on hand (β_i).

The result of the calculation are presented in Table 2 as follows:

2. Expectations Determine Total Backorder $E[B_i]$

- a. Determine the proportion of demand met in warehouse(q_i) $q_i = 1 - (0.504)+(0.290)+(0.127)+(0.050)+(0.017) = 0.02$
- b. Determine the proportion of demand that is filled with *Emergency Lateral Transshipment* (a_i) $a_i = 1 - 0.02 - 0.84 = 0.14$

then the amount of the expected value of the number of emergency lateral transshipments per unit of time at pooling group i is:

$$N_i = (3)(0.04)(0.14) = 0.016$$

So the total number of back orders is obtained by using equation (20), namely:

$$E(B_i) = [0.546-3]^+ + (0.016)(1) = 0.016$$

Cases with $l_i = 0.04$, $S_0=1$, $S_2=2$:

1. Determine the proportion of demand met by stock on hand (b_i).
The result of the calculation are presented in Table 3 as follows:

2. Expectations Determine Total Backorder $E[B_i]$:

- a. Determine the proportion of demand met in warehouse(q_i)

$$q_i = 1-(0.504)+(0.29)+(0.127)+(0.05)+(0.017)+ (0.006)= 1 - (1.00)= 0.00$$

- b. Determine the proportion of demand that is filled with *Emergency Lateral Transshipment* (a_i)

$$a_2= 1 - 0.00 - 0.99 = 0.01$$

then the amount of the expected value of the number of emergency lateral transshipments per unit of time at pooling group i is:

$$N_2 = (3)(0.04)(0.01) = 0.0012$$

So the total number of back orders is obtained by using equation (20), namely:

$$E(B_i) = [0.546-6]^+ + (0.0012)(1) = 0.0012$$

Calculation results next to b_i same as the examples above, are presented in Table 4. Calculation results next to the value of q_i and a_i same as the example above, can be seen in Table 5 and Total Proportion filled Demand Fulfillment with stock on hand (β_i) and filled with Emergency Lateral Transshipments (a_i), can be seen in Table 6. (The calculation is performed with the help of software support Delphi version 5)

Analysis:

Emergency Lateral Transshipments used in multi-echelon inventory system to improve service level costumers. Parameters that are important and will be analyzed as a measure of performance of the model: backorder level, because these parameters affect the percentage of service level. In this model, demand at a base is said to backorder, if:

- a. Emergency lateral transshipment as a way to meet demand. From the calculation, the proportion of demand fulfillment that is filled with lateral supply, not exceed an average of 19%, meaning that the value is quite influential on the level of demand fulfillment.
- b. All the base in a pooling group has no inventory and only waiting for shipment from the warehouse. From the calculation, the proportion of demand that can not be met by stock on hand and waiting for supplies from the warehouse (q_i) is almost entirely near zero, meaning that almost all the demand can be met by stock on hand and with the way emergency lateral transshipments. Thus, the composition or the proportion of customer orders that are not filled or not met is very small, and these values show kebaikkan of multi-echelon model with lateral transshipments.




Fig. 1: Multi-Echelon Inventory Model for Repairable Items with Emergency Lateral Transshipment.




Fig. 2: Multi-Echelon Inventory Model for a sample case of the 3 retail supply chain.

Table 1: Average data arrival demand, inventories at the warehouse, and inventory at the retail.

λ_i	S_o	S_i	λ_i	S_o	S_i	
0.04	1	1	0.4	12	3	
		2		18	4	
0.06	2	1		30	3	
	4	2			4	
0.08	4	1		0.6	14	4
		2				5
0.1	6	1	21		6	
		2			7	
0.2	4	2	0.8		35	4
		3			20	5
	6	1			5	
		2			5	
		3			5	
	5	2			6	

Table 1: Continue.

	3		7
	4		8
10	2	30	4
	3		5
	4		6
		40	7
			4
			5
			6

Table 2 : Calculation results of step (β_1).

	Calculation	Value
a	$R(t)$	Poisson (2.08)
	$B(S_0 - 1)$	$R(t)$
b	Ekspektasi $B(S_0)$	1.326
	Variansi $B(S_0)$	1.256
c	Ekspektasi W'_i	0.546
	Variansi W'_i	0.76
d	r	2
	p	0.71
e	Pr [$W'_i = 0$]	0.504
	Pr [$W'_i = 1$]	0.29
	Pr [$W'_i = 2$]	0.127
	Pr [$W'_i = 3$]	0.05
	Pr [$W'_i = 4$]	0.017
f	β_1	0.84

Table 3 : Calculation results of step (β_2).

	Calculation	Value
a	$R(t)$	Poisson (2.08)
	$B(S_0)$	$R(t)$
b	Ekspektasi $B(S_0)$	1.326
	Variansi $B(S_0)$	1.256
c	Ekspektasi W'_i	0.546
	Variansi W'_i	0.76
d	r	2
	p	0.71
e	Pr [$W'_i = 0$]	0.504
	Pr [$W'_i = 1$]	0.29
	Pr [$W'_i = 2$]	0.127
	Pr [$W'_i = 3$]	0.05
	Pr [$W'_i = 4$]	0.017
f	β_2	0.99

Table 4: Proportion of Demand Fulfillment filled with Stock on Hand (β_i)

Average demand arrival (λ_i)	Stocking level			Approximation	Average demand arrival (λ_i)	Stocking level			Approximation
	S_0	S_i	$\beta_i + \alpha_i$			S_0	S_i	$\beta_i + \alpha_i$	
0.04	1	1	0.98	0.4	12	3	0.95		
		2	1			4	0.99		
	2	1	0.99		18	3	0.99		
0.06		2	1	0.6		4	1		
	2	1	0.96		30	2	0.97		
		2	1			3	1		
0.08	4	1	0.98	14	4	1			
		2	1			4	0.91		
	4	1	0.96			5	0.98		
0.1		2	1	21	6	1			
	6	1	0.98			7	1		
		2	1		35	4	0.97		
0.1	4	1	0.92	35	5	0.99			
		2	1			6	1		
		3	0.99			3	0.98		
	6	1	0.96		4	1			
		2	1		5	1			

Table 4: Continue.

3	1	0.8	20	5	0.92		
0.2	5	2	0.95			6	0.98
		3	1			7	1
		4	1			8	1
	10	2	0.99			4	0.9
		3	1			5	0.98
		4	1			6	0.99
						7	1
	40	4				4	0.98
						5	0.99
						6	1

Table 5: Demand Fulfillment Proportion who met at the warehouse (θ_i) and filled with Emergency Lateral Transshipments (α_i)

Average demand arrival (λ_i)	Stocking level		Approximation		Average demand arrival (λ_i)	Stocking level		Approximation	
	S_o	S_i	θ_i	α_i		S_o	S_i	θ_i	α_i
0.04	1	1	0.02	0.14	0.4	12	3	0.05	0.14
		2	0	0.01			4	0	0
	2	1	0.01	0.11		18	3	0.01	0.09
		2	0	0.01			4	0	0
0.06	2	1	0.03	0.16	0.6	30	2	0.04	0.16
		2	0	0.02			3	0	0
	4	1	0.01	0.12		14	4	0	0.01
		2	0	0.01			4	0.09	0.16
0.08	4	1	0.04	0.16	0.8	5	0.01	0.1	
		2	0	0.02		6	0	0	0.05
	6	1	0.02	0.14		7	0	0	0.02
		2	0	0.01		21	4	0.03	0.12
0.1	4	1	0.08	0.19	0.8	5	0	0.05	
		2	0	0.04		6	0	0	0.02
	3	0	0			35	3	0.02	0.12
		6	1	0.04		0.17	4	0	0
0.2	5	2	0.05	0.15	0.8	5	0	0.01	0.1
		3	0	0.05		6	0	0	0.05
		4	0	0.01		7	0	0	0.02
		10	2	0.01		0.09	8	0	0
	10	3	0	0.02		30	4	0.1	0.15
		4	0	0		5	0.02	0.1	
						6	0	0	0.04
						7	0	0	0.02
		40	4	0.02		0.11	4	0.02	0.11
			5	0		0.04	5	0	0.04
	6	0	0.01	6	0	0.01			

Table 6: Total Proportion filled Demand Fulfillment with stock on hand (β_i) and filled with Emergency Lateral Transshipments (α_i)

Average demand arrival (λ_i)	Stocking level		Approximation	Average demand arrival (λ_i)	Stocking level		Approximation
	S_o	S_i			S_o	S_i	
0.04	1	1	0.98	0.4	12	3	0.95
		2	1			4	0.99
	2	1	0.99		18	3	0.99
		2	1			4	1
0.06	2	1	0.96	0.6	30	2	0.97
		2	1			3	1
	4	1	0.98		14	4	1
		2	1			4	0.91
0.08	4	1	0.96	0.8	5	0.98	
		2	1			6	1
	6	1	0.98		7	1	
		2	1			21	4
0.1	4	1	0.92	0.8	5	0.99	
		2	1			6	1
	3	0.99	35		3	0.98	
		6	1		0.96	4	1
0.2	5	2	1	0.8	20	5	0.92
		2	0.95		6	0.98	

Table 6: Continue.

3	1	4	1	7	1	8	1
	10	2	0.99		30	4	0.9
		3	1			5	0.98
		4	1			6	0.99
					40	7	1
						4	0.98
						5	0.99
						6	1

Conclusion:

Based on the sample of cases that have been discussed, it can be concluded that by using this model, obtained by the proportion of retail demand fulfillment immediately from stock on hand an average of more than 75%. Then the proportion of retail demand is met by emergency lateral transshipments average no more than 20%. Thus proved that the emergency lateral transshipments to increase the level of retail demand fulfillment. This can be seen on the results of calculations which was initially 75%, after using emergency lateral transshipments retail demand fulfillment rate rose by 20%.

REFERENCES

Aggarwal, P.K., K. Moinzadeh, 1994. Order expedition in multi-echelon production/distribution systems. *IIE Transactions* 26: 86-96.

Alfredsson, P., J. Verrijdt, 1999. Modeling emergency supply flexibility in a two-echelon inventory system. *Management Science*, 45: 1416-1431.

Axsäter, S., 1990. Simple solution procedures for a class of twoechelon inventory problems. *Operations Research* 38: 64-69.

Chiang, W.K., G.E. Monahan, 2005. Managing inventories in a two-echelon dual-channel supply chain. *European Journal of Operational Research* 162: 325-341.

Clark, A., H. Scarf, 1960. Optimal policies for a multi-echelon inventory problem. *Management Science*, 6: 474-490.

Clark, T.D., R.E. Trempe, H.E. Trichlin, 1983. Complex multi-echelon inventory system management using a dynamic simulation model. *Decision Sciences* 14(3): 389-407.

Dada, M., 1992. A two-echelon inventory system with priority shipments. *Management Science* 38: 1140-1153.

Deuermeyer, B.L., L.B. Schwarz, 1981. A model for the analysis of system service level in warehouse retailer distribution systems: The identical retailer case. In: *Multi-level Production/Inventory Control Systems: Theory and Practice Studies in Management Science*, 16: 163-193.

Grahovac, J., A. Chakravarty, 2001. Sharing and lateral transshipment of inventory in a supply chain with expensive low-demand items. *Management Science*, 47(4): 580-595.

Graves, S.C., 1985. A Multi-Echelon Inventory Model for a Repairable Item with One-for-One Replenishment, *Management Science*, USA, 1247-1256.

Hadley, G., T.M. Whitin, 1963. *Analysis of Inventory Systems*. Prentice-Hall, Englewood Cliffs, NJ.

Lee, H.L., 1987. A Multi-Echelon Inventory Model for a Repairable Item with Emergency Lateral Transshipmentst, *Management Science*, 4 revisions, USA, 1302-1316.

Moinzadeh, K., H.L. Lee, 1986. Batch size and stocking levels in multi-echelon repairable systems. *Management Science*, 32: 567-1591.

Nahmias, S., S.A. Smith, 1994. Optimizing inventory levels in a two-echelon retailer system with partial lost sales. *Management Science*, 40: 582-596.

Narus, J.A., J.C. Anderson, 1996. Rethinking distribution: Adaptive channels. *Harvard Business Review* 74(4): 112-120.

Pyke, D.F., 1990. Priority repair and dispatch policies for repairable-item logistics systems. *Naval Research Logistics*, 37: 1-30.

Rhee, B., S. Park, 1999. Online store as a new direct channel and emerging hybrid channel system. Working Paper, The Hong Kong University of Science & Technology.

Schwarz, L.B., 1981. *Multi-level Production/Inventory Control System : Theory and Practice*, North-Holland Publishing Company, Amsterdam, New York, Oxford.

Sherbrooke, C.C., 1968. METRIC: A multi-echelon technique for recoverable item control. *Operations Research*, 16: 122-141.

Svoronos, A., P. Zipkin, 1991. Evaluation of one-for-one replenishment policies for multiechelon inventory systems. *Management Science* 17(1): 68-83.

Tsay, A., N. Agrawal, 2003. Channel conflict and coordination in the ebusiness era. *Production & Operations Management*, in press.

Van Houtum, G.J., 2005. Optimal control of serial, multi-echelon inventory/production systems with periodic batching, Working paper, Technische Universiteit Eindhoven, Eindhoven.